



Enclosure Type : PG 250 255 120		Size : 250 X 255 X 120		Weight : 2600 g.	
COVER	EEC03300 / A - Standard Grey		BASE	EEC01700 / A - Standard Grey	
	EEC03300 / B - High visibility yellow				



CABLE GLANDS		
Max. No. of cable glands		
	AL	DW
	BL	
PG	AL / BL	CW / DW
7	--	--
9	30	25
11	24	21
13.5	21	18
16	18	14
21	10	8
29	5	4
36	3	3
42	1	1
48	--	--

STD. ASSEMBLY PARTS	
DESCRIPTION	ORDER No.
S.S Cover Screw	EEN02800
Std. C/R Gasket	EEN03403
Alt. Silicon Gasket	EEN04903

ACCESSORIES	
TERMINAL RAIL	
TS 32	EEN00307
TS 35	EEN00207
MOUNTING PLATE - (M.P)	
M.P 1.5mm thick	EEN01800
M.P Screw Kit	EEA03300
M.P Spacer Kit	EEA03400

MOUNTING BRACKET KIT	
Polyamide	EEA00400
Stainless steel	EEA03200

HINGE ASSEMBLY KIT	
Polyamide	EEA00700
Stainless steel	EEA03500

ASSEMBLY WITH TERMINALS

Length of DIN Rail 238mm Maximum Rail capacity 224mm

Terminal Blocks	WEIDMULLER										PHOENIX						
	SAK 2.5	SAK 4	SAK 6 N	SAK 16	SAK 35	WDU 2.5	WDU 4	WDU 6	WDU 10	WDU 16	WDU 35	UK 2.5 B	UK 5 N	UK 6 N	UK 10 N	UITK 16	UITK 35
Technical Information																	
Single Wire cross section (mm ²)	2.5	4	6	16	35	2.5	4	6	10	16	35	4	6	10	16	25	35
Fine Wire cross section (mm ²)	2.5	4	6	16	35	2.5	4	6	10	16	35	2.5	4	6	10	16	35
Nominal Volts (V)	550	418	418	726	726	660	660	660	660	660	660	690	800	800	800	400	800
Load (Amps.)	15	21	26	47	75	26	35	46	63	85	138	32	41	57	76	101	125
Width of Terminals (mm)	6	6.5	8	12	16	5	6	8	10	12	16	6.2	6.2	8.2	10.2	12.2	15.2
Max. no of Terminals in Rail - TS 32	34	32	26	16	12	--	--	--	--	--	--	34	34	26	20	16	14
Max. no of Terminals in Rail - TS 35	--	--	--	--	--	42	34	26	20	16	12						
Max. no of Terminal rails possible	2	2	2	1	1	2	2	2	2	1	1	2	2	2	2	1	1